



ENVIRONMENTAL PRODUCT DECLARATION

In accordance with ISO 14025 and EN 15804:2012+A2:2019 for:

Nature friendly

From

Pinturas Macy S.A.

Autovía A-31, Salida 41, 02630 La Roda (Albacete)

Programme: The International EPD® System, www.environdec.com

Programme operator: EPD International AB

EPD registration number: S-P-05759

Publication date: 2022-03-23

Valid until: 2027-03-22

An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at www.environdec.com

INDEX

▪ General information	3
○ Programme information	3
▪ Company information	4
▪ Product description	6
▪ LCA information	8
▪ Content information	13
▪ Environmental information	13
○ Group 1	14
○ Group 2	18
○ Group 3	22
○ Group 4	26
○ Group 5	30
▪ LCA interpretation	34
▪ References	35

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41

02630 La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



62



General information

Programme information

Programme:	The International EPD® System
Address:	EPD International AB Box 210 60 SE-100 31 Stockholm Sweden
Website:	www.environdec.com
E-mail:	info@environdec.com

CEN standard EN 15804 serves as the Core Product Category Rules (PCR)

Product category rules (PCR): Product category rules (PCR): PCR 2019:14 Construction Products. Version 1.11

PCR review was conducted by: The Technical Committee of the International EPD® System.

See www.environdec.com/TC for a list of members.

Review chair: Claudia A. Peña. The review panel may be contacted via the Secretariat info@environdec.com

Independent third-party verification of the declaration and data, according to ISO 14025:2006:

☐ EPD process certification ☒ EPD verification

Third party verifier:

TECNALIA R&I SL Certification Auditor: Eva Larzabal Aperribay

Accredited by: ENAC. Accreditation no.125/C-PR283

Procedure for follow-up of data during EPD validity involves third party verifier:

☒ Yes ☐ No

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804. For further information about comparability, see EN 15804 and ISO 14025.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41

02630 La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Company information

Owner of the EPD: Pinturas Macy S.A
Autovía A-31, Salida 41
02630 La Roda (Albacete)
Spain

Contact: (+34) 967 44 07 12 · (+34) 967 44 00 16
macy@pinturas-macy.com, <http://www.pinturas-macy.com/macy.php>

Description of the organization:

Pinturas Macy is a company specialized in the manufacture of paints of the highest quality, which was established in 1978. We have been combining passion, effort, commitment and a constant search for excellence for more than 40 years. Factors that make us a solid benchmark company in the paint sector.

A family business, led by the second generation, with the DNA and means of a multinational company. Our marked family character allows us to offer our clients a close and personalized treatment, adapting and satisfying their needs with total flexibility.

We combine tradition and avant-garde. We have the most advanced technology in the paint sector to create innovative solutions, according to market trends and with a philosophy based on sustainability.

During these years, Pinturas Macy has been able to adapt to a constantly evolving market, which has allowed us to be who we are and to be present in Europe, Africa and South America, following an internationalization process in which we continue to work.

Facilities

The current facilities of **Pinturas Macy** are located on an area of 120,000 square meters, which include the departments of production, logistics and a total of **three laboratories, administration, training center and showroom.**

We have three well-differentiated laboratories: Tintometry, water-based products and solvent-based products.

We produce an average of 250 tons of finished product daily.

We have our own logistics platform, made up of a large fleet of trucks and agreements with the leading national and international transport companies. Thus, we guarantee a correct flow of goods that allows us to supply all our products without incident.

We always guarantee a **real stock** of all the references that make up our product catalog.

Environmental responsibility

As a chemical industry, our activity is not exempt from environmental risks, so it is a priority for **Pinturas Macy** to continuously minimize the impact of our processes on the natural environment.

- We integrate sustainable development criteria in all areas of activity of the company.
- We make a rational use of natural resources, raw materials and energy.
- We manage the minimization of waste.
- We guarantee compliance with European regulations and Spanish legislation in all of our products and in our production processes.
- We have a water treatment plant.

Periodically, we carry out audits of the implemented quality and management system.

We guarantee that our production and logistics processes have all the necessary measures to avoid any risk of contamination.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41

02630 La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



4





Pinturas Macy is certified with the UNE-EN ISO 9001: 2015 and UNE-EN ISO 14001 environmental management standards. Our goal is to limit VOC emissions in order to prevent and reduce air pollution.

I+D+i

Pinturas Macy maintains a strong commitment to research, development and innovation as the engine of our present and future strategy.

Since our inception, we have followed a model of permanent research and innovation, which has allowed us to position ourselves as a benchmark in the painting sector, both nationally and internationally.

We have a human team dedicated exclusively to researching innovative solutions. An added value to offer our customers products of the highest quality at a competitive cost.

Our I+D+i strategy is based on compliance with the following basic principles:

- Involvement of all company departments in the culture of innovation, promoting the incorporation of the latest technological advances in production processes and in all the activities we carry out.
- Constant modernization of equipment and technical production systems.
- Continuous improvement of human resources training.
- Maintenance and review of the Management System implemented, based on the **UNE-EN ISO 9001:2015, UNE-EN ISO 14001:2015** and **UNE 166002:2014**.

Thanks to our work, the Ministry of Science, Innovation and Universities has recognized **Pinturas Macy** as an **Innovative PYME**. A certification that certifies the effort made by the company in I+D+i in recent years.

Name and location of production site: PINTURAS MACY S.A.
Autovía A-31, Salida 41
02630 La Roda (Albacete)
Spain

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41

02630 La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



5



Product description

Product name:

This EPD covers all the product's references included within the nature friendly family.

- GROUP 1: FOTOCATALÍTICA PINTURA MINERAL DE SILICATO
- GROUP 2: MATE UNA CAPA ECOLÓGICO
- GROUP 3: FOTOCATALÍTICA BARNIZ ACRÍLICO, FOTOCATALÍTICA BARNIZ DE SILICATO
- GROUP 4: REVESTIMIENTO AL SILICATO
- GROUP 5: PINTURA APANTALLAMIENTO, FOTOCATALÍTICA PINTURA ACRÍLICA

Product identification:

Macy Paints is a solid manufacturer and distributor in the interior and exterior decorative paints market, trying to improve people's lives through paint and colour.

Climate change is a reality that is being addressed from all areas, adopting measures aimed at avoiding the destruction of ecosystems and making the most of natural resources.

We are very aware of this situation, which is why all the nature friendly products manufactured propose a different technology to solve the problem of pollution in cities. They also have packaging made of new 100% recycled polypropylene materials which, after use, is recyclable, being able to close the cycle and extend the life of the resources.

In this family we find a wide range of features that govern our products and that will surely be liked by our customers depending on their particular needs. We can find photocatalytic products both mineral and acrylic, with European Ecolabel (ECOLABEL), with electroconductive properties and refraction of electromagnetic waves.

By finding a variety of properties so crucial and current in the nature friendly line of Pinturas Macy, we can allocate them among others, to urban centres and industrialized areas to reduce pollution levels, and in general to any public or private space that we want to make it healthier.

Product description:

This report covers all the MACY PAINTS Nature Friendly ranges listed. The following is a brief description of the **Fotocatalítica Pintura Mineral de Silicato**, as well as its main characteristics:



Fotocatalítica Pintura Mineral de Silicato is a product based on potassium silicate resins and with a specific titanium dioxide that provides decontaminating and self-cleaning properties. With photocatalysis we achieve that thanks to the energy of light, harmful gases react with the oxygen in the air, transforming them into substances harmless to humans; in this way we manage to improve air quality and create healthy environments through an inexhaustible process.



Being self-cleaning, it prevents the accumulation of contaminants, thus keeping surfaces clean and preventing the growth of microorganisms thanks to the nature of its composition. In addition, Fotocatalítica Pintura Mineral de Silicato reflects much of the solar radiation, reducing surface heating and preventing overheating of the interior of the house.

Its use is recommended for the treatment of interior and exterior walls of concrete and its prefabricated, plaster, perlescaçola, fiber cement, brick, natural or artificial stone walls, on facades of historic buildings, nurseries, nursery schools, residences, hospitals, gyms, GRC of public or private premises, homes, etc.

Below is a table with the main technical characteristics of the reference:

Parameter	Value
Density	1.460 ± 0.060 kg/L (UNE EN ISO 2811)
Performance	5 - 7 m ² /L per layer (according to substrate absorption)
Nature	Mineral
Finishing	Mate
Viscosity	100 - 110 KU (UNE 48076)
Washability	Class 2 (EN 13300)
Thinner	Water
Dilution	Ready to use
Drying time	1 - 2 hours at 20 °C and 60% relative humidity
Repainting time	Minimum 12 hours at 20 °C and 60% relative humidity
Flash point	Not flammable
VOCs content (according to 2004/42/CE)	14 g/L (maximum 30 g/L, theoretical content)
Painting methods	Brush, roller or spray guns

More information: <http://www.pinturas-macy.com/productos.php>

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41

02630 La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



7



Description of the production process:

The production process begins with the reception of the materials, coming from the different suppliers that arrive both on pallets and in containers. These are unloaded in the facilities in a first initial phase, since in a second phase a quality control of them is carried out. Once the quality stage of raw materials has been passed, they are stored for later use in manufacturing.

With the internal need to supply our references to customers, the production process begins, which may consist of proceeding to manufacture a given product using raw materials in different stages of dispersion and mixing. While the paint rests, quality control is carried out in the laboratory to verify that everything is correct. Once the laboratory control passes positively, the finished product is ready to be packaged in plastic bottles and stored on pallets for later distribution to the market. For this entire production process, water extracted from its own well and electricity have been needed, as well as gas for the operation of transport machines.

UN CPC code: 3511 Paints and varnishes and related products.

LCA information

Functional unit: kg of product to paint one m² of wall, ranging from, from 0,236 kg/m² to 0,584 kg/m² depending on the paint reference. Specifically, Fotocatalítica Pintura Mineral de Silicato is 0,584 kg/m².

Reference service life: 10 years.


Time representativeness: data from factory (primary data) is from 2019. The products are manufactured in the manufacturing plants in Spain. The amount used of raw materials as well as energy consumption, waste production, pollutant emissions and transport distance (in A2 and A4) have been obtained from the manufacturing plants (primary data). Primary data has been obtained through a production of product over the total production of the company in Spain in 2019.

Database(s) and LCA software used: generic data on the impact per unit of matter or energy have been taken to determine emissions per kg of matter, kWh of energy or km transported. These data have been obtained from the Ecoinvent database version 3.6. (Updated in 6 month) and Simapro 9.3.0.3. The impact models used are those indicated in UNE-EN 15804:2012+A2:2019.

Description of system boundaries:

From cradle to grave or "Cradle to grave and module D". The EPD covers modules A1-A3, A4-A5, B1-B7, C1 – C4 and D.

System diagram:



More information: www.pinturas-macy.com

- Technical support for the implementation of the EPD: Marcel Gómez Consultoría Ambiental.
- The modularity principle, as well as the polluter-payer principle have been followed.
- Cut off rules: According to UNE-EN 15804 a minimum of 95% of total inflows (mass and energy) per module are included and more than 99% of the inflows are accounted for.
- Diesel consumption of internal factory forklifts has been excluded as it is less than 1% of the total and 5% per module.
- Allocation procedure: where necessary (energy, waste generation) an allocation based in mass has been used.
- The scenarios included are currently in use and are representative for one of the most probable alternatives.
- The quality of the input data has been evaluated according to its technological, temporal and geographical coverage. The representativeness of the selected processes is considered to be good, resulting in a value of 4,022 out of 5.
- The next processes have not been included since its impact is not significant:
 - Environmental impact from infrastructure, construction, production equipment, and tools that are not directly consumed in the production process.
 - Personnel-related impacts, such as transportation to and from work.
 - Long term emissions.

Modules declared, geographical scope, share of specific data (in GWP-GHG indicator) and data variation:


Module	Product stage			Construction process stage		Use stage							End of life stage				Resource recovery stage	
	Raw material supply	Transport	Manufacturing	Transport	Construction installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery-Recycling-potential	
	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	
Modules declared	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Geography	ES	ES	ES	ES	ES	GLO	GLO	GLO	GLO	GLO	GLO	GLO	GLO	GLO	GLO	GLO	GLO	GLO
Specific data used	More than 99% specific data is used in the EPD.					-	-	-	-	-	-	-	-	-	-	-	-	-
Variation - products	> 10% GWP.*					-	-	-	-	-	-	-	-	-	-	-	-	-
Variation - sites	One production site					-	-	-	-	-	-	-	-	-	-	-	-	-

*Inside the family, there are references with a difference larger than a 10% in terms of environmental impact. The results presented on this EPD are groupings of references which have a lesser difference than a 10%, being representative the results for the references within these groups.

■ A1-A3 Product stage

- **A1 Raw materials supply:** this module takes into account the extraction and processing of raw materials and the production of energy which is consumed at the manufacturing plant.
- **A2 Transport:** this module includes the transport of the different raw materials from the manufacturer to the factory.
- **A3 Manufacturing:** this module includes the consumption of energy during the manufacturing process and production of packaging material used for the further distribution. Moreover transport and management of the factory-produced waste are considered.

The electricity mix used corresponds to the Iberdrola Clientes mix for the year 2019. The emissions associated with the production of electricity are 0,231 kg of CO₂/kWh.



▪ A4-A5 Construction process stage

○ A4 Transport

Transport of the product, from the production plant to the installation site. An average distance of 374,15 km by road has been considered.

PARAMETER	VALUE/DESCRIPTION
Fuel type and consumption of vehicle or vehicle type used for transport e.g. long distance truck, boat, etc	Truck of 16 - 32 tn. Fuel consumption: 25 L/100 Km
Distance	Truck: 374,15 km Ship: 0 km
Capacity utilisation (including empty returns)	100%
Bulk density of transported products*	1,460 ± 0,060 kg/L (Fotocatalítica Pintura Mineral de Silicato)
Volume capacity utilisation factor	1

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41
02630 La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



11



○ **A5 Construction/Installation**

The product is directly transferred from the truck to the installation site, where manual operations are performed to install the analyzed product.

PARAMETER	VALUE / DESCRIPTION	
Auxiliary materials for installation	Brush or roller	Spray gun
Use of thinner	0 - 15 ml	0 - 15 ml
Use of other resources	No other resource consumption.	
Quantitative description of the type of energy (regional mix) and the consumption during the installation process	Not used.	0,015 - 0,029 kWh
Wastage of materials on the building site before waste processing, generated by the product's installation (specified by type)	Product losses (2%)	
Direct emissions to air, water and soil	None	
Outgoing materials (specified by type and treatment)	Product losses are 100% landfilled while packaging materials are 100% sent to a waste manager for their recycling.	

- **B Use stage:** Use phase (B1), and require maintenance (B2), repair (B3), replacement (B4), refurbishment (B5), operational energy use (B6) or operational water use (B7) during its Reference Service Life.
- **C End of life stage**
 - **C1 Deconstruction/demolition:** The product is dismantled and landfilled. It's assumed to be dismantled alongside the building or the surface, thus its considered negligible.
 - **C2 Transport to waste processing:** the model use for the transportation (see A4, transportation to the building site) is applied with a distance of 50 km.
 - **C3 Waste processing for reuse, recovery and/or recycling:** the product is 0% recycled.
 - **C4 Disposal:** The product is 100% landfilled.

PARAMETER	VALUE/DESCRIPTION
C1 Deconstruction/Collection process specified by type	100% Landfilled
C2 Transport Assumptions for scenario development	16 - 32 tn truck. Fuel consumption: 25 l/100 Km Distance: 50 km
C3 Waste processing Recovery system specified by type, Recovery system specified by type	REUSE - 0 kg RECYCLE - 0kg ENERGY RECOVERY - 0 kg
C4 Disposal Characteristic performance, Disposal specified by type	0,236 kg/m ² – 0,584 kg/m ² sent to landfill

▪ D Resource recovery stage

Although module D has been calculated, there are no recycling benefits since all the product is disposed of in a landfill as a mixture of construction products. 100% of the weight is sent to landfill.

Content information

This EPD® covers all the MACY Nature Friendly ranges listed.

Product component	Weight, Kg	Post-Consumer weight %	Renewable material, weight-%
Water	0,22 – 0,30	0	0
Titanium Oxide	0,05 – 0,15	0	0
Calcium Carbonate	0,25–0,32	0	0
Potassium Silicate	0,10 – 0,25	0	0
Others	0,10 – 0,25	0	0
Total	1	0	0
Packaging materials	Weight/kg	Weight-% (versus the product) for 1 kg	
Packaging film	0,0007	0,07%	0
Polypropylene	0,0340	3,40%	0
Pallet	0,0181	0,18%	0
TOTAL	0,0420	4,20%	0

During the life cycle of the product any hazardous substance listed in the “Candidate List of Substances of Very High Concern (SVHC) for authorization” has not been used in a percentage higher than 0,1% of the weight of the product.

Environmental Information

The following environmental impact results are grouped considering the references that have a difference lesser than a 10% in terms of environmental impact over the life cycle for GWP. The results presented for each group of products correspond specifically to the average value of each group. The highlighted reference in the group title represents the mean value results for each group.

LCIA results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins or risks.

GROUP 1: FOTOCATALÍTICA PINTURA MINERAL DE SILICATO

Potential environmental impact – mandatory indicators according to EN 15804

Indicator	Unit	Results per Functional Unit														
		Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	2,13E+00	1,90E-02	2,55E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,77E-03	0,00E+00	3,08E-03	0,00E+00
GWP-biogenic	kg CO ₂ eq.	2,47E-02	7,29E-06	2,89E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,76E-06	0,00E+00	1,80E-06	0,00E+00
GWP-luluc	kg CO ₂ eq.	1,79E-04	5,80E-06	2,28E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,70E-06	0,00E+00	8,57E-07	0,00E+00
GWP-total	kg CO ₂ eq.	2,15E+00	1,90E-02	2,58E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,77E-03	0,00E+00	3,08E-03	0,00E+00
ODP	kg CFC 11 eq.	7,59E-08	4,67E-09	1,07E-09	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,08E-09	0,00E+00	1,27E-09	0,00E+00
AP	mol H+ eq.	1,20E-02	6,12E-05	1,43E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,37E-05	0,00E+00	2,92E-05	0,00E+00
EP-freshwater	kg PO43- eq.	6,83E-04	6,68E-06	8,23E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,43E-06	0,00E+00	3,89E-06	0,00E+00
EP-freshwater	kg P eq.	7,46E-05	1,51E-07	8,76E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,81E-08	0,00E+00	3,45E-08	0,00E+00
EP-marine	kg N eq.	9,51E-04	1,34E-05	1,17E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,71E-06	0,00E+00	1,00E-05	0,00E+00
EP-terrestrial	mol N eq.	1,38E-02	1,50E-04	1,68E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,03E-05	0,00E+00	1,11E-04	0,00E+00
POCP	kg NMVOC eq.	9,19E-03	5,88E-05	1,10E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,16E-05	0,00E+00	3,22E-05	0,00E+00
ADP-minerals&metals*	kg Sb eq.	1,42E-06	3,39E-07	2,36E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,32E-07	0,00E+00	2,81E-08	0,00E+00
ADP-fossil*	MJ	1,87E+01	3,09E-01	2,30E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,21E-02	0,00E+00	8,60E-02	0,00E+00
WDP*	m ³	6,58E-02	1,00E-03	8,26E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,04E-04	0,00E+00	3,85E-03	0,00E+00
Acronyms	GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption															

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Potential environmental impact – additional mandatory and voluntary indicators

Indicator	Unit	Results per Functional Unit														
		Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-GHG1	kg CO ₂ eq.	1,91E+00	1,89E-02	2,30E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,73E-03	0,00E+00	3,02E-03	0,00E+00

Additional voluntary indicators e.g. the voluntary indicators from EN 15804 or the global indicators according to ISO 21930:2017

*Other optional environmental impact categories are presented on LCA report

Use of resources

Indicator	Unit	Results per Functional Unit														
		Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	1,58E+00	3,89E-03	1,85E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,03E-03	0,00E+00	6,95E-04	0,00E+00
PERM	MJ	3,62E-01	0,00E+00	7,25E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	1,94E+00	3,89E-03	2,58E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,03E-03	0,00E+00	6,95E-04	0,00E+00
PENRE	MJ	1,98E+01	3,28E-01	2,44E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,66E-02	0,00E+00	9,13E-02	0,00E+00
PENRM	MJ	1,01E+00	0,00E+00	2,02E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

¹ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



PENRT	MJ	2,08E+01	3,28E-01	2,64E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,66E-02	0,00E+00	9,13E-02	0,00E+00
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m ³	1,83E-03	3,52E-05	2,30E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,71E-06	0,00E+00	9,18E-05	0,00E+00
Acronyms	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy re-sources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water																

*LCIA results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins or risks Waste production and output flows

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Waste production

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	6,39E+00	2,69E-02	8,70E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,51E-03	0,00E+00	5,84E-01	0,00E+00
Non-hazardous waste disposed	kg	1,17E-05	7,50E-07	1,64E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,89E-07	0,00E+00	1,28E-07	0,00E+00
Radioactive waste disposed	kg	3,68E-05	2,11E-06	5,11E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,91E-07	0,00E+00	5,65E-07	0,00E+00

Other output flows

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, thermal	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

Information on biogenic carbon content

Results per Functional Unit		
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0,00E+00
Biogenic carbon content in packaging	kg C	3,32E-02

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



GROUP 2: MATE UNA CAPA ECOLÓGICO

Potential environmental impact – mandatory indicators according to EN 15804

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	6,39E+00	2,69E-02	8,70E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,51E-03	0,00E+00	5,84E-01	0,00E+00
GWP-biogenic	kg CO ₂ eq.	1,17E-05	7,50E-07	1,64E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,89E-07	0,00E+00	1,28E-07	0,00E+00
GWP-luluc	kg CO ₂ eq.	3,68E-05	2,11E-06	5,11E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,91E-07	0,00E+00	5,65E-07	0,00E+00
GWP-total	kg CO ₂ eq.	6,39E+00	2,69E-02	8,70E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,51E-03	0,00E+00	5,84E-01	0,00E+00
ODP	kg CFC 11 eq.	1,17E-05	7,50E-07	1,64E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,89E-07	0,00E+00	1,28E-07	0,00E+00
AP	mol H+ eq.	3,68E-05	2,11E-06	5,11E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,91E-07	0,00E+00	5,65E-07	0,00E+00
EP-freshwater	kg PO ₄ ³⁻ eq.	6,39E+00	2,69E-02	8,70E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,51E-03	0,00E+00	5,84E-01	0,00E+00
EP-freshwater	kg P eq.	1,17E-05	7,50E-07	1,64E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,89E-07	0,00E+00	1,28E-07	0,00E+00
EP-marine	kg N eq.	3,68E-05	2,11E-06	5,11E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,91E-07	0,00E+00	5,65E-07	0,00E+00
EP-terrestrial	mol N eq.	6,39E+00	2,69E-02	8,70E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,51E-03	0,00E+00	5,84E-01	0,00E+00
POCP	kg NMVOC eq.	1,17E-05	7,50E-07	1,64E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,89E-07	0,00E+00	1,28E-07	0,00E+00
ADP-minerals&metals*	kg Sb eq.	3,68E-05	2,11E-06	5,11E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,91E-07	0,00E+00	5,65E-07	0,00E+00
ADP-fossil*	MJ	6,39E+00	2,69E-02	8,70E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,51E-03	0,00E+00	5,84E-01	0,00E+00
WDP*	m ³	1,17E-05	7,50E-07	1,64E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,89E-07	0,00E+00	1,28E-07	0,00E+00
Acronyms	GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption															

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Potential environmental impact – additional mandatory and voluntary indicators

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-GHG2	kg CO ₂ eq.	9,53E-01	9,51E-03	6,01E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,38E-03	0,00E+00	1,52E-03	0,00E+00

Additional voluntary indicators e.g. the voluntary indicators from EN 15804 or the global indicators according to ISO 21930:2017

*Other optional environmental impact categories are presented on LCA report

Use of resources

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	7,24E-01	1,96E-03	4,34E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,20E-04	0,00E+00	3,50E-04	0,00E+00
PERM	MJ	3,62E-01	0,00E+00	7,25E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	1,09E+00	1,96E-03	1,16E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,20E-04	0,00E+00	3,50E-04	0,00E+00
PENRE	MJ	9,74E+00	1,65E-01	6,44E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,85E-02	0,00E+00	4,60E-02	0,00E+00
PENRM	MJ	2,76E+00	0,00E+00	5,51E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

2 The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



PENRT	MJ	1,25E+01	1,65E-01	1,20E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,85E-02	0,00E+00	4,60E-02	0,00E+00
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m ³	8,01E-04	1,77E-05	6,29E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,88E-06	0,00E+00	4,62E-05	0,00E+00
Acronyms	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy re-sources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water															

*LCIA results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins or risks Waste production and output flows

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Waste production

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	3,21E+00	1,35E-02	2,52E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,77E-03	0,00E+00	2,94E-01	0,00E+00
Non-hazardous waste disposed	kg	5,59E-06	3,77E-07	4,89E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	9,51E-08	0,00E+00	6,47E-08	0,00E+00
Radioactive waste disposed	kg	1,79E-05	1,06E-06	1,50E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,47E-07	0,00E+00	2,84E-07	0,00E+00

Other output flows

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, thermal	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

Information on biogenic carbon content

Results per Functional Unit		
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0,00E+00
Biogenic carbon content in packaging	kg C	3,32E-02

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



GROUP 3: FOTOCATALÍTICA BARNIZ ACRÍLICO, FOTOCATALÍTICA BARNIZ DE SILICATO

Potential environmental impact – mandatory indicators according to EN 15804

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	8,84E-01	7,82E-03	4,62E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,96E-03	0,00E+00	1,26E-03	0,00E+00
GWP-biogenic	kg CO ₂ eq.	1,02E-02	3,00E-06	4,90E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,24E-07	0,00E+00	7,39E-07	0,00E+00
GWP-luluc	kg CO ₂ eq.	8,63E-05	2,38E-06	5,38E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	6,98E-07	0,00E+00	3,52E-07	0,00E+00
GWP- total	kg CO ₂ eq.	8,94E-01	7,83E-03	4,67E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,96E-03	0,00E+00	1,26E-03	0,00E+00
ODP	kg CFC 11 eq.	3,16E-08	1,92E-09	2,43E-10	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,46E-10	0,00E+00	5,20E-10	0,00E+00
AP	mol H ⁺ eq.	4,98E-03	2,52E-05	2,52E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,63E-06	0,00E+00	1,20E-05	0,00E+00
EP-freshwater	kg PO ₄₃ - eq.	2,84E-04	2,74E-06	1,51E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,88E-07	0,00E+00	1,60E-06	0,00E+00
EP-freshwater	kg P eq.	3,10E-05	6,23E-08	1,52E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,57E-08	0,00E+00	1,42E-08	0,00E+00
EP-marine	kg N eq.	4,00E-04	5,51E-06	2,22E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,11E-06	0,00E+00	4,13E-06	0,00E+00
EP-terrestrial	mol N eq.	5,78E-03	6,15E-05	3,11E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,25E-05	0,00E+00	4,55E-05	0,00E+00
POCP	kg NMVOC eq.	3,82E-03	2,42E-05	1,95E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,78E-06	0,00E+00	1,32E-05	0,00E+00
ADP-minerals&metals*	kg Sb eq.	3,61E-07	1,39E-07	9,81E-09	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,41E-08	0,00E+00	1,16E-08	0,00E+00
ADP-fossil*	MJ	8,01E+00	1,27E-01	4,46E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,96E-02	0,00E+00	3,53E-02	0,00E+00
WDP*	m ³	3,82E-02	4,12E-04	2,04E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	8,39E-05	0,00E+00	1,58E-03	0,00E+00
Acronyms	GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption															

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Potential environmental impact – additional mandatory and voluntary indicators

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-GHG3	kg CO ₂ eq.	8,84E-01	7,82E-03	4,62E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,96E-03	0,00E+00	1,26E-03	0,00E+00
Additional voluntary indicators e.g. the voluntary indicators from EN 15804 or the global indicators according to ISO 21930:2017																

Additional voluntary indicators e.g. the voluntary indicators from EN 15804 or the global indicators according to ISO 21930:2017

*Other optional environmental impact categories are presented on LCA report

Use of resources

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	8,41E-01	1,60E-03	4,11E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,24E-04	0,00E+00	2,86E-04	0,00E+00
PERM	MJ	4,90E-01	0,00E+00	9,80E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	1,33E+00	1,60E-03	1,39E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,24E-04	0,00E+00	2,86E-04	0,00E+00
PENRE	MJ	8,47E+00	1,35E-01	4,72E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,15E-02	0,00E+00	3,75E-02	0,00E+00
PENRM	MJ	3,73E+00	0,00E+00	7,46E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

³ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



PENRT	MJ	1,22E+01	1,35E-01	1,22E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,15E-02	0,00E+00	3,75E-02	0,00E+00
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m ³	1,00E-03	1,45E-05	5,50E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,17E-06	0,00E+00	3,77E-05	0,00E+00
Acronyms	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy re-sources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water																

*LCIA results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins or risks Waste production and output flows

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Waste production

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	2,62E+00	1,10E-02	1,78E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,44E-03	0,00E+00	2,40E-01	0,00E+00
Non-hazardous waste disposed	kg	4,96E-06	3,08E-07	3,87E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,76E-08	0,00E+00	5,28E-08	0,00E+00
Radioactive waste disposed	kg	1,56E-05	8,67E-07	1,16E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,02E-07	0,00E+00	2,32E-07	0,00E+00

Other output flows

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, thermal	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

Information on biogenic carbon content

Results per Functional Unit		
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0,00E+00
Biogenic carbon content in packaging	kg C	4,49E-02

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



GROUP 4: REVESTIMIENTO AL SILICATO

Potential environmental impact – mandatory indicators according to EN 15804

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	1,76E+00	1,56E-02	1,74E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,92E-03	0,00E+00	2,53E-03	0,00E+00
GWP-biogenic	kg CO ₂ eq.	2,04E-02	5,99E-06	1,95E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,45E-06	0,00E+00	1,48E-06	0,00E+00
GWP-luluc	kg CO ₂ eq.	1,61E-04	4,77E-06	1,59E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,40E-06	0,00E+00	7,05E-07	0,00E+00
GWP-total	kg CO ₂ eq.	1,78E+00	1,57E-02	1,76E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,92E-03	0,00E+00	2,53E-03	0,00E+00
ODP	kg CFC 11 eq.	6,42E-08	3,84E-09	7,52E-10	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	8,92E-10	0,00E+00	1,04E-09	0,00E+00
AP	mol H+ eq.	9,99E-03	5,03E-05	9,68E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,13E-05	0,00E+00	2,40E-05	0,00E+00
EP-freshwater	kg PO43- eq.	5,73E-04	5,49E-06	5,61E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,18E-06	0,00E+00	3,20E-06	0,00E+00
EP-freshwater	kg P eq.	6,18E-05	1,25E-07	5,93E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,13E-08	0,00E+00	2,83E-08	0,00E+00
EP-marine	kg N eq.	7,96E-04	1,10E-05	8,02E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,23E-06	0,00E+00	8,25E-06	0,00E+00
EP-terrestrial	mol N eq.	1,16E-02	1,23E-04	1,15E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,49E-05	0,00E+00	9,10E-05	0,00E+00
POCP	kg NMVOC eq.	7,60E-03	4,83E-05	7,46E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	9,55E-06	0,00E+00	2,64E-05	0,00E+00
ADP-minerals&metals*	kg Sb eq.	2,97E-06	2,78E-07	1,88E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,08E-07	0,00E+00	2,31E-08	0,00E+00
ADP-fossil*	MJ	1,55E+01	2,54E-01	1,58E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,93E-02	0,00E+00	7,07E-02	0,00E+00
WDP*	m³	6,58E-02	8,25E-04	5,81E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,68E-04	0,00E+00	3,17E-03	0,00E+00
Acronyms	GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption															

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Potential environmental impact – additional mandatory and voluntary indicators

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-GHG4	kg CO ₂ eq.	1,59E+00	1,55E-02	1,57E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,89E-03	0,00E+00	2,48E-03	0,00E+00

Additional voluntary indicators e.g. the voluntary indicators from EN 15804 or the global indicators according to ISO 21930:2017

*Other optional environmental impact categories are presented on LCA report

Use of resources

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	1,62E+00	2,69E-03	1,26E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,14E-04	0,00E+00	4,81E-04	0,00E+00
PERM	MJ	3,67E-01	0,00E+00	7,35E-03	0,00E+00	0,00E+00	0,00E+00	6,40E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	1,98E+00	2,69E-03	2,00E-02	0,00E+00	0,00E+00	0,00E+00	6,40E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,14E-04	0,00E+00	4,81E-04	0,00E+00
PENRE	MJ	1,70E+01	2,27E-01	1,40E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,30E-02	0,00E+00	6,32E-02	0,00E+00
PENRM	MJ	1,68E+00	0,00E+00	3,37E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

4 The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



PENRT	MJ	1,87E+01	2,27E-01	1,74E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,30E-02	0,00E+00	6,32E-02	0,00E+00
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,07E+02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m ³	1,79E-03	2,89E-05	1,62E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	6,34E-06	0,00E+00	7,55E-05	0,00E+00
Acronyms	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy re-sources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water																

*LCIA results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins or risks Waste production and output flows

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Waste production

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	5,25E+00	2,21E-02	6,06E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,88E-03	0,00E+00	4,80E-01	0,00E+00
Non-hazardous waste disposed	kg	9,95E-06	6,16E-07	1,16E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,55E-07	0,00E+00	1,06E-07	0,00E+00
Radioactive waste disposed	kg	3,08E-05	1,73E-06	3,60E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	4,04E-07	0,00E+00	4,64E-07	0,00E+00

Other output flows

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, thermal	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

Information on biogenic carbon content

Results per Functional Unit		
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0,00E+00
Biogenic carbon content in packaging	kg C	3,37E-02

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



GROUP 5: PINTURA APANTALLAMIENTO, FOTOCATALÍTICA PINTURA ACRÍLICA

Potential environmental impact – mandatory indicators according to EN 15804

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	1,52E+00	1,32E-02	1,26E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,32E-03	0,00E+00	2,14E-03	0,00E+00
GWP-biogenic	kg CO ₂ eq.	1,74E-02	5,07E-06	1,40E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,22E-06	0,00E+00	1,25E-06	0,00E+00
GWP-luluc	kg CO ₂ eq.	1,68E-04	4,03E-06	1,24E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,18E-06	0,00E+00	5,96E-07	0,00E+00
GWP-total	kg CO ₂ eq.	1,54E+00	1,32E-02	1,28E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,32E-03	0,00E+00	2,14E-03	0,00E+00
ODP	kg CFC 11 eq.	5,79E-08	3,25E-09	5,73E-10	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,54E-10	0,00E+00	8,80E-10	0,00E+00
AP	mol H ⁺ eq.	8,68E-03	4,26E-05	6,99E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	9,52E-06	0,00E+00	2,03E-05	0,00E+00
EP-freshwater	kg PO ₄₃ - eq.	5,08E-04	4,64E-06	4,09E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	9,95E-07	0,00E+00	2,71E-06	0,00E+00
EP-freshwater	kg P eq.	5,34E-05	1,05E-07	4,27E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,65E-08	0,00E+00	2,40E-08	0,00E+00
EP-marine	kg N eq.	7,04E-04	9,33E-06	5,88E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,89E-06	0,00E+00	6,98E-06	0,00E+00
EP-terrestrial	mol N eq.	1,02E-02	1,04E-04	8,37E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,11E-05	0,00E+00	7,70E-05	0,00E+00
POCP	kg NMVOC eq.	6,53E-03	4,09E-05	5,40E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	8,08E-06	0,00E+00	2,24E-05	0,00E+00
ADP-minerals&metals*	kg Sb eq.	6,04E-06	2,36E-07	1,68E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	9,15E-08	0,00E+00	1,96E-08	0,00E+00
ADP-fossil*	MJ	1,36E+01	2,15E-01	1,17E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,01E-02	0,00E+00	5,98E-02	0,00E+00
WDP	m ³	8,09E-02	6,98E-04	4,58E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,42E-04	0,00E+00	2,68E-03	0,00E+00
Acronyms	GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption															

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Potential environmental impact – additional mandatory and voluntary indicators

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-GHG5	kg CO ₂ eq.	1,37E+00	1,31E-02	1,14E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,29E-03	0,00E+00	2,10E-03	0,00E+00

Additional voluntary indicators e.g. the voluntary indicators from EN 15804 or the global indicators according to ISO 21930:2017

*Other optional environmental impact categories are presented on LCA report

Use of resources

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	1,23E+00	2,70E-03	9,86E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,18E-04	0,00E+00	4,83E-04	0,00E+00
PERM	MJ	4,04E-01	0,00E+00	8,07E-03	0,00E+00	0,00E+00	0,00E+00	6,40E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	1,64E+00	2,70E-03	1,79E-02	0,00E+00	0,00E+00	0,00E+00	6,40E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	7,18E-04	0,00E+00	4,83E-04	0,00E+00
PENRE	MJ	1,44E+01	2,28E-01	1,23E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,32E-02	0,00E+00	6,35E-02	0,00E+00
PENRM	MJ	1,85E+00	0,00E+00	3,70E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

5 The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



PENRT	MJ	1,62E+01	2,28E-01	1,60E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,32E-02	0,00E+00	6,35E-02	0,00E+00
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,07E+02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m ³	2,14E-03	2,45E-05	1,26E-05	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	5,36E-06	0,00E+00	6,38E-05	0,00E+00
Acronyms	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy re-sources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water																

*LCIA results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds, safety margins or risks Waste production and output flows.

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819

www.pinturas-macy.com - macy@pinturas-macy.com



Waste production

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4,45E+00	1,87E-02	4,47E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	2,44E-03	0,00E+00	4,06E-01	0,00E+00
Non-hazardous waste disposed	kg	9,15E-06	5,21E-07	8,95E-08	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	1,31E-07	0,00E+00	8,93E-08	0,00E+00
Radioactive waste disposed	kg	2,71E-05	1,47E-06	2,75E-07	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	3,42E-07	0,00E+00	3,93E-07	0,00E+00

Other output flows

Results per Functional Unit																
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, thermal	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

Information on biogenic carbon content

Results per Functional Unit		
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0,00E+00
Biogenic carbon content in packaging	kg C	3,70E-02

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂

PINTURAS MACY, S.A. - Made in Spain

Autovía A-31, Salida 41 Apto. de correos 41 02630

La Roda - Albacete (España)

Telf. +34 967 440 712 - +34 967 440 016

Fax +34 967 442 819


www.pinturas-macy.com - macy@pinturas-macy.com



LCA Interpretation

As we can see in from the graph, the product stage (A1-A3) is the life cycle stage with the greatest impact for all the impact categories analyzed, representing between 97,61% (Acidification) and 73,09% (Abiotic depletion for non-fossil resources (ADP-minerals&metals) of the total impact of the product life cycle.

The A4 represents an intermediate impact for all the impact categories analyzed. Transport (A4) represents between 17,46% (Abiotic depletion for non-fossil resources (ADP-minerals&metals) and 0,50% (Acidification) of the total life cycle impact. In relation to A5 and C4 also the impact is less than 2%. For C2 all impact categories except (Abiotic depletion for non-fossil resources (ADP-minerals&metals) is less than 2%.



Information related to Sector EPD

Individual EPD.

Differences versus previous versions

First version of EPD.

References

- General Programme Instruction of the International EPD® System. Version 3.01.
- ISO 14020:2000 Environmental labels and declarations - General principles.
- ISO 14025:2010 Environmental labels and declarations - Type III Environmental Declarations - Principles and procedures.
- ISO 14040:2006 Environmental management - Life Cycle Assessment - Principles and framework.
- ISO 14044:2006 Environmental management - Life Cycle Assessment - Requirements and guidelines.
- PCR 2019:14 Construction products (EN 15804:A2) Version 1.11.
- CPC 3511 Paints and varnishes and related products.
- UNE-EN 15804:2012+A2:2019 Sustainability of construction works - Environmental Product Declarations - Core rules for the product category of construction products.
- LCA report of Macy 16/12/2021.

VERIFICATION STATEMENT CERTIFICATE CERTIFICADO DE DECLARACIÓN DE VERIFICACIÓN

Certificate No. / Certificado nº: EPD06605

TECNALIA R&I CERTIFICACION S.L., confirms that independent third-party verification has been conducted of the Environmental Product Declaration (EPD) on behalf of:

TECNALIA R&I CERTIFICACION S.L., confirma que se ha realizado verificación de tercera parte independiente de la Declaración Ambiental de Producto (DAP) en nombre de:

PINTURAS MACY, S.A.
Ctra. Nacional 301. Km. 212,800
02630 LA RODA (Albacete) - SPAIN

for the following product(s):
para el siguiente(s) producto(s):

PAINTS NATURE FRIENDLY FAMILY
PINTURAS FAMILIA NATURE FRIENDLY

with registration number **S-P-05759** in the International EPD® System (www.environdec.com)
con número de registro **S-P-05759** en el Sistema Internacional EPD® (www.environdec.com)

it's in conformity with:
es conforme con:

- **ISO 14025:2010 Environmental labels and declarations. Type III environmental declarations.**
- **General Programme Instructions for the International EPD® System v.3.01.**
- **PCR 2019:14 Construction products (EN 15804:A2) version 1.11.**
- **UN CPC 3511 Paints and varnishes and related products.**

Issued date / Fecha de emisión:	23/03/2022
Update date / Fecha de actualización:	23/03/2022
Valid until / Válido hasta:	22/03/2027
Serial Nº / Nº Serie:	EPD0660500-E



Carlos Nazabal Alsua
Manager

This certificate is not valid without its related EPD.
Este certificado no es válido sin su correspondiente EPD.

El presente certificado está sujeto a modificaciones, suspensiones temporales y retiradas por TECNALIA R&I CERTIFICACION.
This certificate is subject to modifications, temporary suspensions and withdrawals by TECNALIA R&I CERTIFICACION.

El estado de vigencia del certificado puede confirmarse mediante consulta en www.tecnaliacertificacion.com.
The validity of this certificate can be checked through consultation in www.tecnaliacertificacion.com.





PINTURAS MACY, S.A.

Made in Spain · Autovía A-31, Salida 41 Apto. de correos 41
Telf. +34 967 440 712 - +34 967 440 016 - Fax +34 967 442 819
02630 La Roda - Albacete (España)
www.pinturas-macy.com - macy@pinturas-macy.com

