CLOWOLOGA

ENVIRONMENTAL **PRODUCT DECLARATION**



EPD in accordance with ISO 14025:2010 and EN 15804:2012+A2:2019

Registration number: S-P-05084 Publication date: 16/02/2022

Valid until: 16/02/2027

Program: The International EPD® System www.environdec.com Program Operator: EPD International AB

1. CROMOLOGY GROUP


Cromology was founded in 2015, after a decades-long process of transformation started in the late 90's, when Lafarge Peintures created the Specialty Materials which then became Materis Paints. It quickly became a global player in the emerging markets. CLOWOLOGA

Nowadays Cromology keeps that pioneering spirit of its Dutch origin from the 1700, proving to be a solid worldwide group, leader in the south basin of Europe, present in 50 countries with a global annual revenue of more than 600 mln/€. The strength of the group lies in its 3700 employees – of which 100 between researchers and highly dedicated technicals – 9 production facilities and 5 R&D laboratories.

Cromology brands are marketed in more than 50 countries all over the world, with **direct presence in 8 countries**. In each market, Cromology commercial brands are an expression of the history, professionalism and capacity for innovation. **20% of the revenue comes from new products.**

Cromology Italy believes in a multi-channel strategy diversified by brand, range of services and type of customer: from designer to professional applicator and private customer. With an offer of **7 specialized** brands, Cromology holds **7% of the Italian market** having so an absolute leading position.

Headquarters are in Porcari, in the province of Lucca. The company has two cutting-edge production facilities of 80.000 mq, a logistic hub of 45.000 mq and can rely on 400 employees between in-house staff and sales network. With its brands and wide range of products, Cromology wants to be a trusted partner for his customers and professionals, aiming to reach together professional excellence.



INDEX

2. SUSTAINABILITY

CLOWOLOGA

OUR COMMITMENT IN EVERY OPERATIONAL PHASE

Cromology Groups' approach to sustainability raises from our Mission: **protecting and colouring responsibly every home to improve everyone's life.**

Cromology puts RSI at the core of its strategy, at the same level of profitable growth and operational excellence. In a perspective of continuous improvement, Cromology includes its RSI targets in the development of its business as well as in the launch of new products.

Cromology's approach to RSI relates to United Nations' GDS. Cromology has identified 5 most relevant GDS for its business and relies on these to create a sustainable and responsible development in order to maximize value for clients, employees, shareholders, suppliers, civil society and local communities.

5 MOST RELEVANT GDS FOR CROMOLOGY BUSINESS



	ure a co poressina parang			
		25		1. CR GR
ses si-		ENVIRONMENTAL LIABILITY Minimize the impact of the		2. CR SU
the el-	01	activities on the environment	•	
ent, ent cts.	PRODUCT SAFETY AND LIABILITY		3	
ns' for ble lue so-	Innovate to offer colours and paints more and more respectful of environment and users' health	CROMOLOGY SUSTAINABILITY	SOCIAL RESPONSIBILITY Guarantee health and safety to its employees; give anyone the opportunity to evolve; promote high standards of integrity and compliance to current regulations	
	PRODUCT SAFETY AND LIABILITY	2 ENVIRONMENTAL LIABILITY	3 SOCIAL RESPONSIBILITY	
		ISO 14001:2015 ENVIRON- MENTAL MANAGEMENT SYSTEM IN	ISO 45001:2018 OCCUPATIO- NAL HEALTH AND SAFETY MANAGEMENT SYSTEM	
	HACCP - HAZARD A NALYSIS AND CRITICAL CONTROL POINTS		LEGISLATIVE DECREE NO. 231/2001	
	ISO 9001:2015 QUALITY MANAGEMENT SYSTEM		ADMINISTRATIVE LIABILITY OF COMPANIES	
	UNI EN 15457 MOULD RESISTANT	ECOLABEL		
	UNI EN 15458 ALGAE RESISTANCE	100% GREEN ENERGY CERTIFICATION		
	ISO 22196 ANTIBACTERIAL TEST CERTIFICATE			

INDEX

T. CROMOLOGY GROU<u>P</u>

2. CROMOLOGY SUSTAINABILITY

3. GENERAL INFORMATION

4. ENVIRONMENTAL DECLARATION (EPD E LCA)

5. MAXMEYER BRAND (LA MISSION)

o. PRODUCT (BIANCA)

7. ENVIRONMENTAL PRODUCT DECLARATION

8. ENVIRONMENTAL PERFORMANCE

9. ADDITIONAL

EPD - BIANCA MAXMEYER

3. GENERAL INFORMATION



CLOWOLOGA

Programma EPD

Product Category

EPD developed from

Owner of the declaration

Geographical reference

Rules (PCR)

Verified from

EPD Reg. No.

Publication date

Expiration date

Product description

EPD Programm operator



The International EPD® System - www.environdec.com

construction products."

Dr. Marco Demi Cromology Italia S.p.A.

Leyton Italia s.r.l

Guido Croce

International

S-P-05084

16/02/2022

16/02/2027

material.

BIANCA One-pass paint

EPD International AB Box 210 60, SE-100 31 Stockholm, Sweden.

International EPD System - PCR 2019:14 - "Construction products" - Version

1.11 EN 15804:2012+A2:2019 - "Sustainability of construction works - En-

vironmental product declarations - Core rules for the product category of

LCA analysis has been carried out according to ISO 14025, ISO 14040, ISO 14044 and EN1584 standards. Both specific data of the manufacturing process and Ecoinvent 3.6 database have been used. As calculation and evaluation methods of the impacts have been used those in the EN 15804

2012+A2:2019 standard. LCA analysis covers the phases of extraction and transport of raw material and energy; manufacturing; end of life of the

INDEX

3. GENERAL INFORMATION

Scope

EPD - BIANCA MAXMEYER

4. ENVIRONMENTAL DECLARATION

CLOWOLOGA

PHASES OF THE PROCESS CONSIDERED IN THE EPD TRANSPORT AND NO OF LIFE NUSE AND USE AND USE AND NUSE A

THE INTERNATIONAL EPD® SYSTEM

EPD abbreviation comes from the English term **Environmental Product Declaration** and it is a verified and registered document that communicates transparent and comparable information about the life-cycle environmental impact of products. It analyses and quantifies how much energy and natural resources are used in production and transportation, how much CO2 is emitted, what materials are used for packaging and the quantity of waste generated.

In the construction field, **EPD is a must for professional architects and designers** when they need to plan and evaluate what actions need to be taken.

As EPD must be validated by International Standards, it represents a fundamental act of transparency and liability towards the market.

Where the EPD is the final report, created on a voluntary basis, its foundation is a **lifecycle assessment (LCA)** - the factual and standardized analysis methodology of a product's or service's entire life cycle in terms of sustainability. **LCA is a technical basis for a wide range of possible actions oriented to improve products sustainability**, as it helps to understand the impact generated by a product on the environment. PCR – Product Category Rules provides the instructions for how the life-cycle assessment (LCA) should be conducted, which must also comply with EN 15084 construction products international standard. This EPD regards Max Meyer **BIANCA one-pass paint**.



ENVIRONMENTA PRODUCT DECLARATION

ENVIRONMENTAL DECLARATION

(EPD E LCA)

8. ENVIRONMENTAL PERFORMANCE

9. Additional Information



MaxMeyer

5. MAXMEYER BRAND



INDEX



2. CROMOLOGY SUSTAINABILIT

3. GENERAL INFORMATION

4. ENVIRONMENT DECLARATION


5. MAXMEYER BRAND (LA MISSION)

6. PRODUCT (BIANCA)

7. ENVIRONMENTAL PRODUCT DECLARATION

8. Environmenta Performance

9. Additional Information



LA MISSION

Our mission is to focus on **sustainable**, **innovative products that develop the comfort of our houses.** MaxMeyer's products are:

- **Low VOC and A+ certified** for the emissions of pollutants in the indoor air, according to Decree no. 2011-321 of March 23.
- **. Formaldehyde-free**. Formaldehyde is one of the most dangerous polluting chemicals It is used in many household products, rugs and wooden furniture. It can cause irritation, redness, rash, asthma and cough.
- **Put in recycled plastic or recyclable steel packaging**, to reduce drastically plastic consumption.
- "Practical" as they make consumer's life easier, being anti-drop, quick drying and resistant to bacteria.

Therefore products are at the core of **new MaxMeyer's vision**, where the house blends into the landscape, is eco-friendly and it is the place where to feel safe.

«RESPECT HEALTH, RESPECT THE PLANET» LOGO REFERS TO PRODUCTS WITH THE FOLLOWING FEATURES:



PRODUCTS PACKED IN RECYCLED PLASTIC OR IN RECYCLABLE PACKAGING. We contribute to reduce the use of plastic and choose to

PACKAGING. We contribute to reduce the use of plastic and choose to protect the planet.



FORMALDEHYDE-FREE PRODUCTS

Formaldehyde is one of the most dangerous polluting chemicals. It is used in many household products, rugs and wooden furniture. It can cause irritation, redness, rash, asthma and cough.

A+ CLASS PRODUCTS

The regulation gives information about the level of pollutants in the indoor environment, presenting a risk of toxicity by inhalation, on a scale of classes that goes from A+ (very low emissions) to C (high emissions).

«Respect health, respect the planet» logo is registered from Patent and Trademark Office of the Ministry for Economic Development as company trademark, since 6 August 2019 (no. 302019000058242).

6. BIANCA PRODUCT

CLOWOLOGA

INDEX

CROMOLOGY

BIANCA



This EPD refers to the so-called BIANCA one-pass wall paint in sale format 0,751, 41 and 141.

BIANCA can be applied with a roller and does not need dilution: this way of application reduces spattering and therefore waste, reducing also time needed to clean and use of cleaning products.



LA RAPIDA is Formaldehyde free. Formaldehyde is one of the most hazardous chemical polluting agents. It is in every house product, rugs and wooden furniture. It can cause irritation, redness, rash, asthma and cough.

BIANCA is contained in a 30% recycled plastic packaging. Choose to save the planet.



BIANCA is A+ class certified, as VOC (Volatile Organic Compounds) emitted in the indoor air are close to zero.

-	
/	MaxMeyer
	BIANCA (
	PITTURA IDEALE PER CAMERE E SOGGIORN MONOMANO, NON NECESSITA DI FONDO
	COTINA COPERTURA © NODORE © FINITURA OPACA

PP [kg/kg]

7,23E-02

4.82E-02

3,56E-02

Ferro [kg/kg]

0,00E+00

0.00E+00

2,75E-03

Carta [kg/kg]

2,61E-03

4.90E-04

1,40E-04

Package

BIANCA 0,75L

BIANCA 4L

BIANCA 14L

PRODUCT CHEMICAL COMPOSITION

Emulsions	< 20%
Additives	< 5%
Extenders	< 55%
Water	< 40%

LDPE [kg/kg]

9,59E-03

8.17E-04

6.54E-04

AXMEYER RAND A MISSION)

6. PRODUCT (BIANCA)

PRODUCT DECLARATION

8. Environmenta Performance

9. Additional Information



Legno [kg/kg]

6,54E-02

8.17E-02

5,30E-02

7. ENVIRONMENTAL PRODUCT DECLARATION

CLOWOLOGA

INDEX

1. CROMOLOGY GROUP

2. CROMOLOGY SUSTAINABILIT

ح. GENERAL INFORMATION

4. ENVIRONMENTA DECLARATION (EPD E LCA)

5. MAXMEYER BRAND (LA MISSION)

o. PRODUCT (BIANCA)

7. ENVIRONMENTAL PRODUCT DECLARATION

8. Environmental Performance

9. Additional Information

DECLARED UNIT

This EPD uses the concept of **«declared unit»** instead of «functional unit» according to current regulations.

REFERENCE YEAR

Data come from calendar years 2019-2020. Study was conducted in 2021.

SYSTEM BOUNDARIES

This «Cradle to gate with options» EPD, includes modules A1 (raw materials), A2 (transport), A3 (production), C1 (de-construction/demolition), C2 (transport to waste processing), C3 (waste processing/reuse), C4 (disposal) and D (reuse- recovery- recycling- potential).

						$\left\langle \right\rangle$, \$	> <	S]	>		2°]	\succ	
	f																REUSE AND RECYCLE STAGE
MaxMeyer BIANCA BIANCA	Raw material supply	Transport	Manufacturing	Transport	Construction installation processing	Use	Maintenance	Repair	Replecement	Refurbishment	Operational energy use	Operational water use	De-costruction demolition	Transport	Waste processing	Disposal	Reuse - Recovery Recycling - Potential
Modules	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Modules declared	Х	Х	Х	Х	ND	ND	ND	ND	ND	ND	ND	ND	Х	Х	Х	х	Х
Geography	EU	Ι	Ι	-	-	-	-	-	-	-	-	-	EU	EU	EU	EU	EU
Specific data			>90%			-	-	-	-	-	-	-	-	-	-	-	-
Variation - products	Le	ss tha group	n 10% o of pro	for ev oducts	ery	-	-	-	-	-	-	-	-	-	-	-	-
Variation - sites		No	t relev	ant		-	-	-	-	-	-	-	-	-	-	-	-





8. ENVIRONMENTAL PERFORMANCE

CLOWOLOGA

MaxMeyer

SIMULATION OF ENVIRONMENTAL IMPACT INDICATORS

EN15804+A2					
Impact category	Unit	A1 - A3	C1	C2 - C4	D
GWP TOTAL:	kg CO ₂ eq	7,07E+01	0,00E+00	1,15E+00	0,00E+00
GWP - Fossil	kg CO ₂ eq	6,85E+01	0,00E+00	1,38E-01	0,00E+00
GWP - Biogenic	kg CO ₂ eq	2,19E+00	0,00E+00	1,01E+00	0,00E+00
GWP - Land use and LU change	kg CO ₂ eq	6,48E-02	0,00E+00	6,08E-06	0,00E+00
ODP	kg CFC11 eq	2,66E-05	0,00E+00	4,68E-09	0,00E+00
IRP	kBq U-235 eq	6,62E+00	0,00E+00	1,55E-03	0,00E+00
POCP	kg NMVOC eq	2,02E-01	0,00E+00	2,43E-03	0,00E+00
PM	disease inc.	3,26E-06	0,00E+00	2,64E-08	0,00E+00
HTP, non-cancer	CTUh	1,46E-06	0,00E+00	3,86E-08	0,00E+00
HTP, cancer	CTUh	1,16E-07	0,00E+00	6,99E-09	0,00E+00
AP	mol H+ eq	3,00E-01	0,00E+00	9,72E-04	0,00E+00
EP, freshwater	kg P eq	1,89E-02	0,00E+00	9,58E-06	0,00E+00
EP, marine	KG N EQ	6,04E-02	0,00E+00	5,27E-04	0,00E+00
EP, terrestrial	mol N eq	6,08E-01	0,00E+00	5,14E-03	0,00E+00
ETP, freshwater TOTAL	CTUe	1,50E+03	0,00E+00	3,27E+00	0,00E+00
ETP, freshwater - organics	CTUe	2,42E+01	0,00E+00	3,84E-01	0,00E+00
ETP, freshwater - inorganics	CTUe	4,92E+02	0,00E+00	3,38E-01	0,00E+00
ETP, freshwater - metals	CTUe	9,87E+02	0,00E+00	2,55E+00	0,00E+00
LUP	Pt	2,36E+03	0,00E+00	3,54E-01	0,00E+00
WDP	m³ depriv.	8,11E+01	0,00E+00	1,07E-02	0,00E+00
RUP, fossils	MJ	1,03E+03	0,00E+00	3,21E-01	0,00E+00
RUP, minerals and metals	kg Sb eq	5,12E-04	0,00E+00	6,37E-08	0,00E+00
HTP, non-cancer - organics	CTUh	3,25E-08	0,00E+00	1,03E-09	0,00E+00
HTP, non-cancer - inorganics	CTUh	2,71E-07	0,00E+00	2,29E-08	0,00E+00
HTP, non-cancer - metals	CTUh	1,17E-06	0,00E+00	1,47E-08	0,00E+00
HTP, cancer - organics	CTUh	3,74E-08	0,00E+00	6,83E-09	0,00E+00
HTP, cancer - inorganics	CTUh	0,00E+00	0,00E+00	0,00E+00	0,00E+00
HTP, cancer - metals	CTUh	7,81E-08	0,00E+00	1,61E-10	0,00E+00
EPD - BIANCA MAXMEYER					PAGE 8

IL GRUPPO CROMOLOGY

INDICE

Z. LA SOSTENIBILIT. CROMOLOGY

INFORMAZIONI GENERALI

A. LA DICHIARAZION AMBIENTALE (EPD E LCA)

D. IL BRAND MAXMEYER (LA MISSION)

IL PRODOTTO (BIANCA)

IL PROCESSO DI DICHIARAZIONE AMBIENTALE

8. LE PRESTAZIONI AMBIENTALI

7. INFORMAZION AGGIUNTIVE

8. ENVIRONMENTAL PERFORMANCE

CLOWOLOGA



XXX

USE OF RESOURCES

* Results in kg PO4 eq. can be obtained by multiplying results in kg P eq by a conversion factor of 3.07

Impact category	Unit	A1-A3	C1	C2-C4	D	
PENRT	MJ	1,11E+03	0,00E+00	3,41E-01	0,00E+00	
PENRM	MJ	1,25E+02	0,00E+00	1,25E+02	0,00E+00	
PENRE	MJ	4,41E-02	0,00E+00	4,66E-06	0,00E+00	
PERT	MJ	4,84E+02	0,00E+00	4,70E-03	0,00E+00	
PERM	MJ	4,29E+02	0,00E+00	1,32E-03	0,00E+00	
PERE	MJ	5,53E+01	0,00E+00	3,38E-03	0,00E+00	
Ozone depletion	kg CFC11 eq	2,66E-05	0,00E+00	4,68E-09	0,00E+00	
Net use of fresh water	m ³	8,11E+01	0,00E+00	8,11E+01	0,00E+00	
WASTE						
Impact category	Unit	A1 - A3	C1	C2 - C4	D	
Hazardous waste disposed	KG	7,05E-04	0,00E+00	5,50E-03	0,00E+00	
Non- hazardous waste disposed	kg	7,06E+00	0,00E+00	5,37E-01	0,00E+00	
Radioactive waste disposed	kg	2,35E-03	0,00E+00	2,01E-06	0,00E+00	

0,00E+00

0,00E+00

0,00E+00

0,00E+00

0,00E+00

0,00E+00

0,00E+00

0,00E+00

0,00E+00

1,97E-01

6,99E-01

0,00E+00



Impact category	Unit	A1-A3	C1	C2 - C4	D
GWP-GHG	kg $\rm CO_2$ eq	6,75E+01	0,00E+00	2,19E-01	0,00E+00

kg

kg

kg

MJ per energy carrier

1. CROMOLOGY GROUP

INDEX

2. CROMOLOGY SUSTAINABILITY

GENERAL INFORMATION

ENVIRONMENTA DECLARATION (EPD E LCA)

D. MAXMEYER BRAND (LA MISSION)

6. PRODUCT (BIANCA)

7. ENVIRONMENTAL PRODUCT DECLARATION

8. ENVIRONMENTAL PERFORMANCE

9. ADDITIONAL INFORMATION

Components for re-use

Materials for recycling

Exported energy

Materials for energy recovery

0,00E+00

0,00E+00

0,00E+00

0,00E+00

9. ADDITIONAL INFORMATION

CLOWOLORA



GREEN PUBLIC PROCUREMENT (GPP) – BUILDING MINIMUM ENVIRONMENTAL CRITERIA (MEC)

REQUIREMENTS FOR PAINT AND VARNISH PRODUCERS

MEC are issued by the Ministry of the Environment and are established for multiple product categories. They provide «environmental considerations» linked to the different stages of the bidding (subject of the contract, technical specifications, rewarding technical features linked to the most convenient offer, execution of tasks) aimed to qualify, from the environmental point of view, both supplies and awarding through the entire product/service lifecycle.

PAINT PRODUCTS MUST MEET THESE TECHNICAL SPECIFICATIONS TO COMPLY WITH BUILDING MEC

1. EMISSION LIMITS

Paints and varnishes **producer must prove compliance with emission limits in table below providing documentary evidence** by verifying through measurements their products' emissions.

2.3 Technical specifications of the building* 2.3.5.5 Materials' emission*

EMISSION LIMIT (µm²)

Benzene Trichloroethylene 2-ethylhexyl phthalate(DEHP) Dibutyl phthalate (DBP)	1 (for each substance)				
Total VOC (22)	1500				
Formaldehyde	<60				
Acetaldehyde	<300				
Toluene	<450				
tetrachloroethylene	<350				
xylene	<300				
1,2,4-trimethylbenzene	<1500				
1,4-dichlorobenzene	<90				
Ethylbenzene	<1000				
2-dibutoxyethanol	<1500				
Styrene	<350				

2. HAZARDOUS SUBSTANCES

Paints and varnishes producer **must show statement of compliance of the legal representative, accompanied by the Material Safety Data Sheet (MSDS)** of the product. Whether there are no hazardous substances in MSDS, the Sheet itself is the documentation that proves compliance.

2.4.1.3 Hazardous substances

In components, parts or material used must not be added intentionally:

• additives based on cadmium, lead, chrome VI, mercury, arsenic and selenium in concentrations above 0.010% by weight.

• substances identified as "substance of very high concern" (SVHCs) pursuant to Article 59 of the EC Regulation No 1907/2006 in concentrations above 0.10% by weight.

• Substances or mixtures classified or classifiable under the following hazard statements:

- carcinogenic, mutagenic or toxic for reproduction of category 1A, 1B or 2 [seguono varie sigle];(H340, H350, H350i, H360, H360F, H360D, H360FD, H360Fd, H360Df, H341, H351, H361f, H361d, H361fd, H362];

- High oral, dermal, oxygen toxicity of category 1, 2 or 3 (H300, H301, H310, H311, H330, H331);

- Marine hazard of category 1,2 (H400, H410, H411);

- Having organ specific toxic effect of category 1 and 2 (H370, H371, H372, H373).

3. OWNING OF AN ECOLABEL TRADEMARK OR EQUIVALENT

Paints and varnishes producer **must show** documentation about the owning of an Ecolabel or equivalent trademark. The producer can alternatively show an EPD type III.

2.4 Technical specifications of building components* 2.4.2 Specific criteria for building components* 2.4.2.11 Paints and varnishes*

Paint products must comply with ecological and performance criteria pursuant to 2014/312/UE2 decision as subsequently amended for the award of the EU Ecolabel for indoor and outdoor paints and varnishes.

Verification: the designer must require the contractor to make sure, during the equipment procurement phase, about the compliance with this criteria using products that alternatively have:

- EU Ecolabel or an equivalent trademark

- EPD type III, conforming with UNI EN 15804 and ISO 14025 which shows compliance to this criteria. This can verified in the EPD: specific information about criteria contained in the above-mentioned decisions must be present.

Documentation must be submitted to the contracting authority during implantation of Works, as indicated in the contract documents. 1. CROMOLOGY

INDEX

2. CROMOLOGY SUSTAINABILIT[\]

3. GENERAL INFORMATION

4. ENVIRONMENTA DECLARATION (EPD F LCA)

5. MAXMEYER BRAND (LA MISSION)

6. PRODUCT (BIANCA)

7. ENVIRONMENTAL PRODUCT DECLARATION

8. Environmenta Performance

9. ADDITIONAL INFORMATION

PAGE 10

EPD - BIANCA MAXMEYER

*for further information please see CAM dated 20 May 2017. Current referente text is Decree of October 11, 2017 "Adoption of minimum environmental criteria for the assignment of design and construction services for the new construction, renovation and maintenance of buildings and for the management of public administration sites" ("CAM Edilizia") amending previous CAM, issued in January 2017.

9. ADDITIONAL INFORMATION

CLOWOLOGA



ACRONYMS

ENVIRONMENTAL IMPACTS

ADP = abiotic depletion potential
AP = acidification potential
EP = eutrophierung potential
GWP = global warming potential
ODP = ozone depletion potential
POCP = Photochemical Ozone Creation Potential
WDP = water deprivation potential

MATERIAL CONSUMPTION

PERT = Primary energy renewable - total
PERM = Primary energy renewable - material
PERE = Primary energy renewable - energy resources
PENRT = Total use of non renewable primary energy resources
used as raw materials
PENRE = Use of non-renewable primary energy resources
excluding non-renewable energy resources used as raw materials
SM = secondary material
RSF = renewable secondary fuels
NRSF = non-renewable secondary fuels
FWT = Total water consumption

PRODUZIONE RIFIUTI

HWD = hazardous waste disposed NHWD = non-hazardous waste disposed RWD = radioactive waste disposed CRU = customer reusable units MFR = Materiali per il riciclaggio; MER = materials for recycling EE = exported energy

VERIFICATION AND VALIDATION

ISO standard ISO 21930 and CEN standard EN 15804 serves as the core Product Category Rules (PCR)

Product Category Rules (PCR): PCR 2019:14 Construction products, version 1.11

(PCR) review was conducted by: The Technical Commitee of the International EPD® System. See www.environdec.com/TC for a list of members. Review chair: Claudia A. Peña, University of Concepción, Chile. The review panel may be contacted via the Secretarian

www.environdec.com/contact

Indipendent third-party verification of th declaration and data, according to ISO 14025:2006: I External □ Internal covering □EPD process certification I EPD verification

Third-party verifer: Guido Croce

Procedure for follow-up during EPD validity involves third party verifier. □ Yes ⊠ No

EPD owner has the property and the responsibility of the declaration.

CPC CODE: 3511 Paints and varnishes and related products

BIBLIOGRAPHY

AIB - Association of Issuing Bodies (2020). European Residual Mixes - Results of the calculation of Residual Mixes for the calendar year 2019 (Version 1.1, 2020-09-08).

CEWEP 2012, Confederation of European Waste-to-Energy Plants. Energy Report III (December 2012).

De Ceuster, G., et al. (2009) TREMOVE: Final Report. Model code v2.7b, 2009.

European Commission, Brussels.

Ecoinvent Centre (2007) Ecoinvent data v2.0. Swiss Centre for Life Cycle Inventories, Dübendorf, Switzerland.

EMEP/EEA air pollutant emission inventory guidebook 2016; '1.A.4 non-road mobile machinery'.

IPCC, 2006. Guidelines for National Greenhouse Gas Inventories.

ISPRA 2017, Istituto Superiore per la Protezione e la Ricerca Ambientale: Rapporto Rifiuti Urbani, Edizione 2017; Rapporti 272/2017. ISBN 978-88-448-0852-5.

Keller, M. et al. (2010) Handbook emission factors for road transport v3.1, HBEFA. INFRAS, Berne, CH.

Knörr, W. et al. (2011) Ecological Transport Information Tool for Worldwide Transports (EcoTransIT): Methodology and data update. Berlin, Hannover, Heidelberg, DE.

Ntziachristos, L., et al. (2013) EMEP/EEA air pollutant emissions inventory guidebook 2009:

Exhaust emissions from road transport. European Environment Agency, Copenhagen, DK.

Spielmann, M., et al. (2007) Transport Services. ecoinvent report No. 14., Swiss Centre for Life Cycle Inventories, Dübendorf, CH. From combustion of fuel in the engine. The dataset takes as input the infrastructure of the lorry and road network, the materials and efforts needed for maintenance of these and the fuel consumed in the vehicle for the journey. The activity ends with the transport service of 1tkm and the emissions of exhaust and non-exhaust emissions into air, water and soil.

1. CROMOLOGY

INDEX

GROUP

CROMOLOGY SUSTAINABILIT

3. GENERAL INFORMATION

4. ENVIRONMENT DECLARATION (EPD E LCA)

5. MAXMEYER BRAND

6. PRODUCT (BIANCA)

ENVIRONMENTAL PRODUCT DECLARATION

8. ENVIRONMENTA PERFORMANCE

9. ADDITIONAL INFORMATION





cromology

Cromology Italia S.p.A. Headquarters: Via IV Novembre, 4 55016 - Porcari (LU) Tel 199.11.99.55 - Fax 199.11.99.77



Mon.-Fri. 8:30 a.m. – 5:30 p.m. numero.verde@cromology.it www.maxmeyer.it