# Environmental Product Declaration

**EPD**®

In accordance with ISO 14025 for:

# Ottima Portico Bench (1800x1600mm)

from

# Steelcase

Programme: The International EPD® System, <u>www.environdec.com</u>

Programme operator: EPD International AB

EPD registration number: S-P-03679
Publication date: 2022-06-07

Revision date: 2022-06-20 (Version 01)

Valid until: 2027-06-07







# **Programme information**

⊠ No

☐ Yes

Programme:	EPD International AB Box 210 60 SE-100 31 Stockholm Sweden
	www.environdec.com info@environdec.com
Product category rules (PCR): PCR 201 Validity until 17-06-2023. Version 2.01,	2-19, Furniture, except seats and mattresses. UN CPC 3812 /3813 /3814
PCR review was conducted by: Techni The review panel may be contacted via	ical committee of the International EPD Gorka Benito Alonso. info@environdec.com
Independent third-party verification of th	e declaration and data, according to ISO 14025:2006:
	rification
Third party verifier: Tecnalia R&I Certific party verification	cación is an approved certification body accountable for third-
In case of accredited certification bodies Accredited by: ENAC, accreditation no.	
In case of recognised individual verifiers Approved by: The International EPD® S	

The International EPD® System

The EPD owner has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but from different programmes may not be comparable.

Procedure for follow-up of data during EPD validity involves third party verifier:

VERSION 01 PAGE 2/12

# Steelcase



# **Company information**

Owner of the EPD:

AF Steelcase S.A. Calle Antonio Lopez,243 28041 - Madrid, Spain Phone: +34912124700

Email: afinfo@steelcase.com

## **Description of the organisation:**

At its heart, sustainability at Steelcase is about people. It's about creating and supporting the economic, environmental and social conditions that allow people and communities to reach their full potential.

Research and insights direct our path. It's not only about creating goods, it's about creating good. It's not only about creating value, it's about living our values. It's not just about reducing our footprint, it's about expanding our reach. It's about creating lasting and meaningful change to enable the long-term wellbeing of current and future generations.

Innovative products and solutions result. In the development of our products, we work to consider each stage of the life cycle: from materials extraction, production, transport, use and reuse, until the end of its life. We demonstrate performance through third-party verified certifications, such as ISO 9001, ISO 14001, ISO 14006, PEFC, FSC® (FSC-C003932), and voluntary product declarations.

Steelcase's sustainability promises, actions, and results are communicated in an annual Corporate Sustainability Report.

# **Product information**

Product name: Ottima Portico Bench

(1800x1600mm)

Product identification: 5BPOR0120

Production site: This product is manufactured

in Steelcase Madrid (Madrid, Spain).

#### **Product description:**

agile development cycle, Ottima Portico Desk and Bench brings the workstation back to basics, offering a simple and sleek solution that is both best-in-class and best-in-price. A straightforward statement of line and clean design details make it the perfect addition to any home office or workplace. With the industry's leading warranty, customers have peace of mind that Ottima Portico delivers on quality and performance over time.

Height: 735-815mm Depth: 1600mm Width: 1800mm

UN CPC code: 38121 - Other metal furniture,

of a kind used in offices

Geographical scope: Spain

VERSION 01 PAGE 3/12




# **LCA** information

Functional Unit	Consists in one Ottima Portico Bench (1800x1600mm) in use for 8 hours a day, 5 days a week, for 15 years.				
Source(s) of data	All information about manufacturing processes has been supplied directly by internal data of Steelcase Madrid. The Information about raw materials/components and distances has been supplied directly by our suppliers. All raw materials and components are transported by road.				
Reference year for data	2019				
LCA Software/ database(s) used	SimaPro v9.1.0.11 multiuser / Ecoinvent 3.6 Database				
Exclusions	No exclusions were made				
Assignment rules	In this study was considered necessary to perform a physiical assignment (in fuction of produced units) for water, oil, natural gas, water, and electricity consumptions.				
System boundaries	System boundaries include raw materials and components, production (includes processes and facilities maintenance), transport, packaging, distribution, use and end of life, both for the product and for its packaging.				
System Scope	System's scope includes the whole life cycle of the product, from obtained raw materials to manufacturing, use and end of life. System is divided in 3 stages:  • UPSTREAM: Includes components, raw material obtention and their associated manufacturing processes.  • CORE: Includes transportation of raw materials and components from our suppliers to Steelcase Madrid, product manufacturing processes and waste treatment.  • DOWNSTREAM: Includes clients shipping, products maintenance, product use and end of life, both for the product and for packaging.				

VERSION 01 PAGE 4/12





This document has been created contemplating environmental impacts of raw materials and components, their transport and multiple transformation and manufacturing processes, treatment of generated wastes as well as the final product distribution to the customer and the end of life of the product and its packaging.

VERSION 01 PAGE 5/12



# **Content declaration**

#### **Product**

Materials	Weight	% of total weight	Recycled content
ABS	1,0290	1,30%	15,64%
Steel	30,3404	38,29%	47,25%
Hot-melt adhesive	0,0174	0,02%	0,00%
Chipboard	45,3049	57,18%	40,00%
NBR	0,0099	0,01%	0,00%
PA6	0,1977	0,25%	10,00%
Paper	0,0290	0,04%	0,00%
Paint	0,6060	0,76%	0,00%
POM	0,0450	0,06%	94,00%
TOTAL	77,5794	97,91%	42,13%

# **Packaging**

Materials	Weight	% of total weight	Recycled content
LDPE	1,6255	2,05%	27,42%
PP	0,0275	0,03%	0,00%
TOTAL	1,6530	2,09%	26,96%

Steelcase strives to be more environmentally friendly, therefore neither the product nor the packaging contains any substance on the REACH candidate list, nor any mixture classified in Regulation (EC) 1272/2008. In addition, within our organization a scrupulous protocol is carried out to check that all substances and materials comply with the standards of our organization.

# **Recycled material**

Item	Recycled content	Pre-consumer	Post- consumer
Packaging	26,96%	18,96%	8,00%
Product	42,13%	36,78%	5,35%
TOTAL (Packaged product)	41,81%	36,41%	5,40%

VERSION 01 PAGE 6/12





# **Environmental performance**

# **Potential environmental impact**

PARA	METER	UNIT	UPSTREAM	CORE	DOWNSTREAM	TOTAL
	Fosil	KgCO2 eq.	1,78E+02	2,92E+01	1,85E+01	2,26E+02
Global warming	Biogenic	KgCO2 eq.	2,86E+00	3,11E-02	1,15E-03	2,89E+00
potencial (GWP)	Land use and land transformation	KgCO2 eq.	1,67E-01	2,94E-02	2,08E-04	1,97E-01
	TOTAL	KgCO2 eq.	1,81E+02	2,92E+01	1,85E+01	2,29E+02
Acidification	potential (AP)	KgSO2 eq.	8,31E-01	3,56E-01	7,98E-02	1,27E+00
Eutrophication	n potencial (EP)	KgPO43- eq.	4,40E-01	2,49E-02	1,28E-02	4,78E-01
· ·	cial of tropospheric (POCP)	kg NMVOC eq.	8,11E-01	6,18E-02	1,12E-01	9,85E-01
Abiotic depletion p	ootential - elements	KgSb eq.	1,63E-03	2,00E-05	1,41E-06	1,65E-03
Abiotic depletion potential - fosil fuels		MJ, net calorific value	2,21E+03	4,03E+02	2,61E+02	2,87E+03
Water scard	city potential	m3 eq.	6,63E+01	5,81E+00	2,00E+00	7,41E+01

# **Use of resources**

Р	ARAMETER	UNIT	UPSTREAM	CORE	DOWNSTREAM	TOTAL
Primary	Use as energy carrier	MJ, net calorific value	1,13E+03	5,04E+01	5,02E-01	1,18E+03
energy resources – Renewable	Used as raw materials	MJ, net calorific value	8,929E+02	0,00E+00	0,00E+00	8,93E+02
	TOTAL		2,02E+03	5,04E+01	5,02E-01	2,07E+03
Primary energy	Use as energy carrier	MJ, net calorific value	1,63E+03	5,16E+02	2,62E+02	2,41E+03
resources – Non- renewable	Used as raw materials	MJ, net calorific value	8,93E+02	0,00E+00	0,00E+00	8,93E+02
	TOTAL		2,53E+03	5,16E+02	2,62E+02	3,30E+03
Seco	ndary material	kg	4,24E+01	NA	NA	4,24E+01
Renewab	ole secondary fuels	MJ, net calorific value	NA	NA	NA	0,00E+00
Non-renew	able secondary fuels	MJ, net calorific value	NA	NA	NA	0,00E+00
Net us	e of fresh water	$m^3$	NA	1,06E-02	1,00E-01	1,11E-01

VERSION 01 PAGE 7/12





# Waste production and output flows

# Waste production

PARAMETER	UNIT	UPSTREAM	CORE	DOWNSTREAM	TOTAL
Hazardous waste disposed	kg	8,03E-03	5,60E-04	8,02E-04	9,39E-03
Non-hazardous waste disposed	kg	4,32E+01	5,56E-01	7,75E+01	1,21E+02
Radioactive waste disposed	kg	7,95E-03	2,27E-03	1,90E-03	1,21E-02

# **Output flows**

PARAMETER	UNIT	UPSTREAM	CORE	DOWNSTREAM	TOTAL
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	kg	0,00E+00	2,21E+01	7,86E+01	1,01E+02
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, thermal	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00

# Other environmental indicators

PARAMETER	UNIT	UPSTREAM	CORE	DOWNSTREAM	TOTAL
Human toxicity, cancer impacts	Cases	5,98E-05	1,02E-06	3,99E-08	6,09E-05
Human toxicity, non-cancer impacts	Cases	6,37E-05	2,64E-06	5,62E-07	6,69E-05
Fresh water ecotoxicity	PAF m <sup>3</sup> day	8,38E+06	6,09E+04	6,58E+03	8,44E+06
Land use	Species.yr	2,75E-07	1,01E-08	3,66E-10	2,85E-07

VERSION 01 PAGE 8/12





## Additional information

#### Recommendations for use

- In order to guarantee an adequate life cycle, it is necessary to clean the surface regularly, using a wet cloth.
- For daily cleaning it is recommended to use a soft duster.
- Wood components do not emit formaldehydes, in accordance with the E1 reduced emission standard (EN 13986).
- Ottima Portico Benches are designed to be easily updated and repaired and can be easily assembled and disassembled using hand tools.

#### **Transport**

 Both the weight and the volume of the product and packaging have been reduced to a minimum, to minimize the energy consumed during transport.

#### Composition

- This product does not contain hazardous materials (i.e., PVC, cadmium, mercury, hexavalent lead) or harmful additives (i.e., fire retardants).
- Solvent-free, water-soluble inks are used on paper and packaging.

#### **Production**

- This product has been designed to achieve a minimum environmental impact.
- The adhesive used in the edge banding does not contain any VOCs.
- The paint used does not contain any VOCs or heavy metals.

#### **Disposal**

- Packaging materials are 100% recyclable.
- Ottima Portico Bench (1800x1600mm) is 99,16 % recyclable, measured in terms of weight.
- All plastic parts weighing over 50g are marked in accordance with ISO 11469, in order to facilitate their recycling (packaging excluded).
- Once Ottima Portico Bench (1800x1600mm) reaches its end of life, it has been designed to be separated by components and recycled.
- All materials have been considered in a recycling scenario at their end of life, except for hotmelt adhesive and paint.

VERSION 01 PAGE 9/12

# **Steelcase**



#### **Notes**

- Data shown in this declaration will be valid if there are no significant changes in the process analysed.
- Results obtained are not comparable for other product references or about other declarations, drawn up based on another certification system.
- The verifier and the program operator are not responsible for any claims about the product or the legality of the product.

# **Differences versus previous version**

- 2022-06-07 -Version 00
- 2022-06-20 Version 01

Editorial change: The EPD is redesigned using Environdec's template.

VERSION 01 PAGE 10/12

# **Steelcase**



## References

- General Programme Instructions of the International EPD® System. Version 3.01.
- PCR 2012-19, Furniture, except seats and mattresses. Version: 2.01(Product category classification: UN CPC 3812/3813/3814)
- ISO 14025:2006 Environmental labels and declarations.
- ISO 14040:2006/A1:2021 Environmental management Life cycle assessment Principles and framework
- ISO 14044:2006 /A1:2018 + A2:2021 Environmental management Life cycle assessment Requirements and guidelines
- ECOINVENT Ecoinvent Centre, www.ECO-invent.org
- SIMAPRO SimaPro LCA Software, Pré Consultants, the Netherlands, www.presustainability.com.
   SimaPro v9.1.0.11 multiuser. Data Base Ecoinvent 3.6

VERSION 01 PAGE 11/12