### ENVIRONMENTAL PRODUCT DECLARATION



In accordance with ISO 14025 and EN 15804:2012+A2:2019 for **Permoglaze Multi-Task** 





Programme:	The International EPD <sup>®</sup> System www.environdec.com
Programme operator:	EPD International AB Stockholm, Sweden
EPD registration number:	S-P-04228
Publication date:	09.07.2021
Validity date:	08.07.2026
Geographical scope:	Global



WE WANT TO SERVE **PEOPLE AND COMMUNITIES** IN MAKING OUR ISLAND A **MORE BEAUTIFUL AND PLEASANT** PLACE TO LIVE FOR ALL

500

154

## **Programme Information**

The	International	l EPD® Sys

Programme

www.environdec.com info@environdec.com

2019:14 Version 1.1. 2020-09-14 Construction Products EN 15804:2012 + A2:2019 Sustainability of Construction Works

Independent third-party verification of the declaration and data, according to ISO 14025:2006

**EPD** verification

EPD process certification



Third party verifier: Prof. Ing. Vladimír Kočí, Ph.D., MBA

Approved by: The International EPD® System

Procedure for follow-up of data during EPD validity involves third party verifier:

Yes

The EPD owner has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804.

stem

EPD International AB Box 210 60 SE-100 31 Stockholm/SWEDEN





# **Company Information**

Sofap has been established since 1988, Sofap has grown to become a leading paint manufacturer in Mauritius through constant innovation and an unflinching commitment to quality.

Sofap manufactures and distributes Permoglaze paints under license from Crown Paints Uk. The product range includes decorative and protective paints and varnishes for both interior and exterior.

Sofap also manufactures a range of textured coatings under the brand TRIBE comprising of 8 different finishes. It also distributes a drymixed tile adhesive under the PERMOFIX brand.

Sofap is the exclusive distributor in Mauritius for a number of reputable brands in the coatings industry namely: General Paints for automotive paints, Altex Coatings for marine paints, Nova wood finishes and Rust Oleum brand for DIY Spray paint. In terms of accessories a range of brushes, rollers and tools are offered under the Atlas brand.

Sofap is certified ISO 9001:2015 for Quality Management and ISO 14001: 2015 for Environmental Management.





# **Product Information**

Product name:	Permoglaze Multi-Task Paint				
Product identification:	Permoglaze Multi-Task is a water-ba				
UN CPC code:	35110				
Geographical scope:	Global				

Permoglaze Multi-Task is an ideal 'all-purpose' paint. This water-based acrylic system offers excellent adhesion to multiple surfaces: metal, sheet metal, concrete, wood, plaster, PVC. Recommended for both interior and exterior uses and is highly resistant to UV.

#### Purpose

Permoglaze Multi-Task is a water-based high-quality acrylic paint that provides excellent adhesion to various substrates such as galvanized metal substrates, wood, concrete, plaster of Paris, PVC & recycled plastic.

### **Composition**

Permoglaze Multi-Task is an emulsion-based paint formulated with a high durability acrylic resin and incorporating the highest quality pigments specially selected for their performance.

### **Characteristics**

- Excellent adhesion to various substrates
- UV resistant
- Suitable for interior and exterior uses
- Good spreading rate





ased ideal 'all-purpose' paint.


# LCA Information

Declared Unit:	1 m <sup>2</sup> of surface painted with Permoglaze Multi-Task paint (98% opacity)
Time Representativeness:	Average data for 2020
	Ecoinvent 3.5

Database(s) and LCA Software Used:

ECOIIIVEIIC J. SimaPro 9.0

### **System Boundary**



### **Description of System Boundary**

This EPD's system boundary has been defined as cradle to gate with options, including modules A1-A3. Besides, A4: Transport of End Product stage was added as optional. Once applied, these products become an integral part of the surface that can not be separated at their end of life stage, therefore C (EoLStages) and D modules were not declared.

Upstream	510 J	CUIE		Downstream									Other Environmental Information			
Raw Material	Raw Material Transport	Manufacturing	Transport to Plant	Construction / Installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational Energy Use	Operational Water Use	Deconstruction / Demolition	Transport to Disposal Site	Waste Processing	Disposal	Future reuse, recycling or energy recovery potential
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Х	Х	Х	Х	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Description of the system boundary (X = Included in LCA, ND=Not Declared)

#### A1: Raw Material

Production starts with raw materials. Raw material stage includes raw material extraction/preparation and pre-treatment processes before production.

#### A2: Raw Material Transport

Transport is relevant for delivery of raw materials and other materials to the plant and the transport of materials within the plant. Transport of raw materials to production site is taken as the weight average values for transport from supplier for the year of 2020.

#### A3: Manufacturing

Manufacturing prosses comprises of mixing the chemicals using electric energy to form the paint. Then, the final products are quality checked and packaged for delivery.

#### A4: Transport to Site

Transport of final product to customer is taken as the weight average values for transport for the year of 2020.



### **More Information**

This study is conducted according to the guidelines of ISO 14040/44 and the requirements given in the Product Category Rules (PCR) document for Construction Products with reference to EN 15804 and the general program guidelines by The International EPD System.

The results of the LCA with the indicators as per EPD requirement are given in the LCA result tables. All energy calculations were obtained using Cumulative Energy Demand (LHV) methodology, while fresh water use is calculated with selected inventory flows in SimaPro according to the PCR.


There are no co-products in the production. Hence, there is no need for co-product allocation.

Energy consumption and transport datasets were allocated based on the average production figures for the year of 2020, and weighted average of environmental impacts for the paint were presented.

Accordingly, hazardous and non-hazardous waste amounts were also allocated based on the average waste arisings for the period of 2020. All the waste resulting from the main production and related processes is managed as per Waste Management Plan of Sofap in accordance with Mauritian laws and regulations.

No substances included in the Candidate List of Substances of Very High Concern for authorization under the REACH regulations are present in the paint product either above the threshold for registration with the European Chemicals Agency or above 0.1 % (wt/wt).





Environmental Impacts for 1 m <sup>2</sup> of surface painted with Permoglaze Multi-Task paint (98% opacity)									
Impact Category	Unit	A1	A2	A3	A1-A3	A4			
GWP - Fossil	kg CO <sub>2</sub> eq	325E-3	8.46E-3	20.5E-3	354E-3	840E-6			
GWP - Biogenic	kg CO <sub>2</sub> eq	821E-6	7.39E-6	129E-6	957E-6	95.4E-9			
GWP - Luluc	kg CO <sub>2</sub> eq	231E-6	4.09E-6	413E-9	236E-6	296E-9			
GWP - Total	kg CO $_2$ eq	326E-3	8.47E-3	20.6E-3	355E-3	840E-6			
ODP	kg CFC-11 eq	38.3E-9	1.70E-9	1.18E-9	41.1E-9	186E-12			
AP	mol H+ eq	2.11E-3	189E-6	112E-6	2.41E-3	3.39E-6			
EP - Freshwater (P)	kg P eq	122E-6	1.05E-6	370E-9	124E-6	75.9E-9			
EP - Freshwater (PO,)	kg PO $_4$ eq	375E-6	3.23E-6	1.13E-6	379E-6	232E-9			
EP - Marine	kg N eq	329E-6	38.7E-6	17.3E-6	385E-6	952E-9			
EP - Terrestrial	mol N eq	3.35E-3	433E-6	189E-6	3.98E-3	10.5E-6			
РОСР	kg NMVOC	1.12E-3	115E-6	85.1E-6	1.32E-3	3.19E-6			
ADPE	kg Sb eq	1.81E-6	4.80E-9	3.14E-9	1.81E-6	3.29E-9			
ADPF	MJ	4.04E+0	122E-3	556E-3	4.72E+0	12.5E-3			
WDP	m³ depriv.	176E-3	787E-6	4.71E-3	182E-3	87.2E-6			
РМ	disease inc.	18.7E-9	402E-12	971E-12	20.0E-9	52.0E-12			
IR	kBq U-235 eq	19.3E-3	726E-6	351E-6	20.4E-3	59.0E-6			
ETP - FW	CTUe	7.76E+0	81.9E-3	54.4E-3	7.90E+0	9.32E-3			
HTTP - C	CTUh	405E-12	2.71E-12	3.49E-12	411E-12	305E-15			
HTTP - NC	CTUh	10.0E-9	65.6E-12	99.4E-12	10.2E-9	10.3E-12			
SQP	Pt	1.21E+0	24.7E-3	14.4E-3	1.25E+0	7.23E-3			
Acronyms GWP-total: Climate change, GWP-fossil: Climate change- fossil, GWP-biogenic: Climate change - biogenic, GWP-luluc: Climate change - land use and transformation, ODP: Ozone layer depletion, AP: Acidification terrestrial and freshwater, EP-freshwater: Eutrophication freshwater, EP-marine: Eutrophication marine, EP-terrestrial: Eutrophication terrestrial, POCP: Photochemical oxidation, ADPE: Abiotic depletion - elements, ADPF: Abiotic depletion - fossil resources, WDP: Water scarcity, PM: Respiratory inorganics - particulate matter, IR: Ionising radiation, ETP-FW: Ecotoxicity freshwater, HTP-c: Cancer human health effects, HTP-nc: Non-cancer human health effects, SQP: Land use related impacts, soil quality.									
Legend	A1: Raw Material, A2: Raw Material 1	fransport, A3: Manufacturin	g, A1-A3: Sum of A1, A2 and	A3, A4: Transport					
	Disclaimer: EP-freshwater indicator has also been calculated as "kg P eq" as required in the characterization model (EUTREND model, Struijs et al., 2009b, as implemented in ReCiPe; http://eplca.jrc.ec.europa.eu/								

LCDN/developerEF.xhtml) in addition to "kg PO4 eq" as stated in the standard.



Resource Use for 1 m <sup>2</sup> of surface painted with Permoglaze Multi-Task paint (98% opacity)									
Impact Category	Unit	A1	A2	A3	A1-A3	A4			
PERE	MJ	245E-3	2.51E-3	9.77E-3	258E-3	138E-6			
PERM	MJ	0	0	0	0	0			
PERT	MJ	245E-3	2.51E-3	9.77E-3	258E-3	138E-6			
PENRE	MJ	4.04E+0	122E-3	556E-3	4.72E+0	12.5E-3			
PENRM	MJ	0	0	0	0	0			
PENRT	MJ	4.04E+0	122E-3	556E-3	4.72E+0	12.5E-3			
SM	kg	0	0	0	0	0			
RSF	MJ	0	0	0	0	0			
NRSF	MJ	0	0	0	0	0			
FW	m <sup>3</sup>	3.21E-3	15.2E-6	32.2E-6	3.26E-3	2.09E-6			

#### Waste & Output Flows for 1 m<sup>2</sup> of surface painted with Permoglaze Multi-Task paint (98% opacity)

Impact Category	Unit	A1	A2	A3	A1-A3	A4				
HWD	kg	0	0	0	0	0				
NHWD	kg	0	0	26.0E-3	26.0E-3	0				
RWD	kg	0	0	0	0	0				
CRU	kg	0	0	0	0	0				
MFR	kg	0	0	0	0	0				
MER	kg	0	0	0	0	0				
EE (Electrical)	MJ	0	0	0	0	0				
EE (Thermal)	MJ	0	0	0	0	0				
Acronyms	renewable prima used as raw mat Net use of fresh	PERE: Use of renewable primary energy excluding resources used as raw materials, PERM: Use of renewable primary energy resources used as raw materials, PERT: Total use of renewable primary energy, PENRE: Use of non-renewable primary energy excluding resources used as raw materials, PENRM: Use of non-renewable primary energy excluding resources used as raw materials, PENRM: Use of non-renewable primary energy, SM: Secondary material, RSF: Renewable secondary fuels, NRSF: Non-renewable primary energy, SM: Secondary material, RSF: Renewable secondary fuels, NRSF: Non-renewable secondary fuels, FW: Net use of fresh water, HWD: Hazardous waste disposed, NHWD: Non-hazardous waste disposed, RWD: Radioactive waste disposed, CRU: Components for reuse, MFR: Material for recycling, MER: Materials for energy recovery, EE (Electrical): Exported energy electrical, EE (Thermal): Exported energy, Thermal.								
Legend	A1: Raw Materia	A1: Raw Material, A2: Raw Material Transport, A3: Manufacturing, A1-A3: Sum of A1, A2 and A3, A4: Transport								

	Result per funtional
Biogenic Carbon Content	Unit
Biogenic carbon content in product	kg C
Biogenic carbon content in packaging	kg C

### l declared unit A1-A3 0 0

### References

/GPI/ General Programme Instructions of the International EPD® System. Version 3.0.

/ISO 14020:2000/ Environmental labels and declarations — General principles

/EN 15804:2012+A2:2019/ Sustainability of construction works - Environmental Product Declarations — Core rules for the product category of construction products

/ISO 14025/ DIN EN ISO 14025:2009-11: Environmental labels and declarations - Type III environmental declarations — Principles and procedures

/ISO 14040/44/ DIN EN ISO 14040:2006-10, Environmental management - Life cycle assessment - Principles and framework (ISO14040:2006) and Requirements and guidelines (ISO 14044:2006)

/PCR for Construction Products and CPC 54 Construction Services/ Prepared by IVL Swedish Environmental Research Institute, Swedish Environmental Protection Agency, SP Trä, Swedish Wood Preservation Institute, Swedisol, SCDA, Svenskt Limträ AB, SSAB, The International EPD System, 2019:14 Version 1.1 DATE 2019-12-20

/The International EPD® System/ The International EPD® System is a programme for type III environmental declarations, maintaining a system to verify and register EPD®s as well as keeping a library of EPD®s and PCRs in accordance with ISO 14025. www.environdec.com

/Ecoinvent / Ecoinvent Centre, www.ecoinvent.org

/SimaPro/ SimaPro LCA Software, Pré Consultants, the Netherlands, www.pre-sustainability.com

## **Contact Information**

Programme

The International EPD® System

----EPD®

THE INTERNATIONAL EPD® SYSTEM

Programme operator EPD International AB Box 210 60 SE-100 31 Stockholm / SWEDEN

Owner of the declaration



Sofap Ltd. DBM Industrial Zone, Coromande / MAURITIUS

LCA practitioner

3<sup>rd</sup> party verifier

Turkey: Lalegül Sok. No:7/18 Kağıthane 34415 4. Levent – Istanbul / TURKEY +90 212 281 13 33



Prof. Ing. Vladimír Kočí, Ph.D., MBA

The International EPD® System www.environdec.com

www.environdec.com info@environdec.com

Contact: Rajendra Mahajan

Phone: (230) 405 70 00 Fax: (230) 405 70 07

www.sofap.mu sofapldsofap.mu

The United Kingdom: 4 Clear Water Place Oxford OX2 7NL, UK 0 800 722 0185

www.metsims.com info@metsims.com

LCA Studio Šárecká 5,16000 Prague 6 - Czech Republic

www.lcastudio.cz



Sofap Ltd. DBM Industrial Zone Coromandel MAURITIUS

info@sofap.com